

## **Knowledge grows**

## Winter production lick for growth

| Raw materials                     | Growth      |
|-----------------------------------|-------------|
| Maize-meal                        | 300         |
| Oilcake                           | 400         |
| Feed Grade Urea                   | 50          |
| Kimtrafos 12 Grandé / PhosSure 12 | 75          |
| Kalori 3000                       | 25          |
| Feed Grade Sulphur                | 3           |
| Salt                              | 200         |
| Total                             | 1053        |
| Composition                       | Composition |
| Crude protein (%)                 | 30.6        |
| From NPN (%)                      | 47.4        |
| ME (MJ/kg)                        | 7.9         |
| Ca (%)                            | 1.9         |
| P (%)                             | 1.3         |
| S (%)                             | 0.3         |
| Intake, g/ day (cattle)           | 1000 - 2000 |
| Intake, g/ day (sheep & goats)    | 100 - 150   |

## Supplemented under the following situations:

• Where rapid weight gain on summer grazing is required.

Feed to cattle or sheep/goats that have free access to grazing and/or roughage.

**Regulate Intakes.** Depending on intakes, salt inclusion may be adjusted accordingly.

**WARNING:** These licks contain urea. Hungry animals must not have access to urea containing licks. Gradually introduce them to the lick until it is ensured that the recommended intake will not be exceeded.

Tel: +27 31 910 5100

Mail: animal.nutrition.sa@yara.com



